

ชื่อวิทยานิพนธ์ : การรับรู้เรื่องความตายของพุทธศาสนิกชนและคริสต์ศาสนิกชนใน
เขตสาทร กรุงเทพมหานคร

ผู้วิจัย : พระกณเฑียร สุเมโธ (ตันติภิรมย์สิน)

ปริญญา : พุทธศาสตรมหาบัณฑิต (ชีวิตและความตาย)

คณะกรรมการควบคุมวิทยานิพนธ์

- : พระเอกภักตร์ อภินนุโท, ผศ.ดร., พธ.บ.(การสอนสังคม), พธ.บ.
(ภาษาอังกฤษ), M.A., Ph.D.(Psy.)
- : ผศ.ดร. เรืองชัย หมื่นชนะ, ป.ธ.๑, พ.ม., พธ.บ., M.A., Ph.D. (Psy.)
- : ดร. ชัยสิทธิ์ ทองบริสุทธิ์, ป.ธ.๑, พ.ม., พธ.บ., M.A.(Phi)
M.A.(App.Psy), Ph.D. (Psy.)

วันสำเร็จการศึกษา : ๒๑ มีนาคม ๒๕๕๔

บทคัดย่อ

การศึกษาเรื่องการรับรู้เรื่องความตายของพุทธศาสนิกชนและคริสต์ศาสนิกชนในเขต
สาทร กรุงเทพมหานคร มีวัตถุประสงค์เพื่อ ๑) ศึกษาระดับการรับรู้เรื่องความตายของ
พุทธศาสนิกชนและคริสต์ศาสนิกชนในเขตสาทร กรุงเทพมหานคร ๒) ศึกษาเปรียบเทียบระดับ
การรับรู้เรื่องความตายของพุทธศาสนิกชนและคริสต์ศาสนิกชน ในเขตสาทร และ ๓) ศึกษา
ความสัมพันธ์ระหว่างการรับรู้เรื่องความตายด้านต่างๆ

การศึกษานี้เป็นการวิจัยเชิงสำรวจ มุ่งเน้นสำรวจข้อเท็จจริงเกี่ยวกับการรับรู้ความตาย
ด้านต่างๆ กลุ่มตัวอย่างประกอบด้วยพุทธศาสนิกชนและคริสต์ศาสนิกชน จำนวน ๑๘๔ คน สถิติที่
ใช้ประกอบด้วย การแจกแจงความถี่ (Frequency Distribution) ค่าเฉลี่ย (Mean) ค่าร้อยละ
(Percentage) ค่าเบี่ยงเบนมาตรฐาน (Standard Deviation) การทดสอบค่าที (t-test) การทดสอบค่า
เอฟ (F-test) และสัมประสิทธิ์สหสัมพันธ์ (Coefficient Correlation)

๑) ข้อมูลทั่วไป

พบว่า กลุ่มตัวอย่างส่วนใหญ่เป็น เพศหญิง (๗๑.๗%) อายุต่ำกว่า ๒๐ ปี (๕๖%) โสด
(๗๘.๓%) ปริญญาตรี (๕๘.๒%) ไม่มีบุคคลในครอบครัวเสียชีวิต (๔๗.๓%) นับถือศาสนาพุทธ
(๕๘.๒%)

๒) ระดับการรับรู้เรื่องความตาย

พบว่า กลุ่มตัวอย่างรับรู้เรื่องความตาย โดยรวมทุกด้านในระดับมาก ($\bar{X} = ๓.๗๖$, S.D. = ๐.๕๖๘) และในแต่ละด้านในระดับมาก ซึ่งสามารถเรียงลำดับการรับรู้เรื่องความตายทั้ง ๔ ด้าน จากมากไปหาน้อยได้ดังนี้ ด้านการรับรู้ต่อความเจ็บป่วย ($\bar{X} = ๔.๓๑$, S.D. = ๐.๘๒๔) ด้านความเชื่อทางศาสนา ($\bar{X} = ๔.๐๕$, S.D. = ๑.๐๐) ด้านการตระหนักถึงความตาย ($\bar{X} = ๓.๕๒$, S.D. = ๕.๕๖) ด้านการรับรู้ต่อการสูญเสียชีวิต ($\bar{X} = ๓.๗๕$, S.D. = ๑.๐๕๕)

๓) ความแตกต่างความแตกต่างในระดับการรับรู้ จำแนกตามข้อมูลทั่วไป

พบว่า กลุ่มตัวอย่าง ที่มี ศาสนาที่นับถือ และจำนวนบุคคลในครอบครัวที่เสียชีวิตต่างกัน มีระดับการรับรู้เรื่องความตายแตกต่างกันอย่างมีนัยสำคัญทางสถิติที่ระดับ ๐.๐๕ ส่วนกลุ่มตัวอย่างที่มี เพศ อายุ สถานภาพสมรส ระดับการศึกษา มีระดับการรับรู้เรื่องความตายในแต่ละด้านไม่แตกต่างกัน

๔) สหสัมพันธ์ระหว่างระดับการรับรู้เรื่องความตายด้านต่างๆ

พบว่า การรับรู้เรื่องความตายของกลุ่มตัวอย่าง ด้านความเชื่อทางศาสนา ด้านการตระหนักถึงความตาย ด้านการรับรู้ต่อการสูญเสียชีวิต ด้านการรับรู้ต่อความเจ็บป่วย และโดยรวม ๔ ด้าน มีความสัมพันธ์ซึ่งกันและกันอย่างมีนัยสำคัญทางสถิติ ที่ระดับ ๐.๐๑

Thesis Title : Buddhists' and Christians' Perception Towards The Concept of Death in Sathon District at Bangkok.

Researcher : Phra Khanets Sumedho (Tantipiromsin)

Degree : Master of Arts (Life and Death Studies)

Thesis Supervisory Committee

: Phra Ekapatra Abhichando, Asst. Prof. Dr., B.A.(Edu.),B.A.(Eng.), M.A.,(Cli.Psy.), Ph.D. (Psy.)

: Asst. Prof. Dr. Rerngchai Muenchana, Pali VII, Dipl.(Ed.), B.A.(Ed.), M.A.(Ed.), Ph.D. (Psy.)

: Dr. Chayasit Thongborisut, Pali III, Dipl.(Ed.), B.A.(Phi.), M.A. (Appl.Psy.), Ph.D. (Psy.)

Date of Graduation : 21 March 2010

ABSTRACT

The objectives of the study titled “Buddhists’ and Christians’ Perception Towards The Concept of Death in Sathon District, Bangkok City” are : 1) to study the level of a perception of Buddhists and Christians towards the concept of death in Sathon District, Bangkok City, 2) to study the differences between the perception of Buddhists and Christians towards the concept of death in Sathon District, Bangkok City and 3) to study the relationship of the perception of life and death in different aspects.

This is a survey research. The sample consisted of 184 Buddhists and Christians in Sathon District, Bangkok City. Statistics used are percentage (%), frequency distribution (f), Mean ($\bar{X}$), standard deviation (S.D.), t-test, F-test and Coefficient correlation.

The Results are as follows :

1) Personal Information

It is found that sample are mostly female (71.7%), age below 20 (56%), single (78.3%), bachelor degree (59.2%), no death in family (47.3%), Buddhists (58.2%).

2) The level of Perception of Death Concept

The sample perceived of the death, in total and in each aspects at high level ($\bar{X} = 3.76$, S.D. = 0.968) The perception levels of four aspects can be ranked in descending order ; illness ($\bar{X} = 4.31$, S.D. = 0.824), religions belief ($\bar{X} = 4.09$, S.D. = 1.00), death mindfulness ($\bar{X} = 3.92$, S.D. = 0.996) and life extinction aspect ($\bar{X} = 3.75$, S.D. = 1.055) respectively.

3) Difference in level of Perception of Death Concept

It is found that the samples differing in religions beliefs, and number of deaths in family, had the significant difference in the level of death perception at the 0.05 level. Whereas, there are no significant differences in the level of death perception of the sample differ in sexes, ages, marital status and educations.

4) The Relationship of the level of death

There are correlations of the level of death perception between religions belief, death mindfulness, life extinction, illness and in total aspects, to each others, at the 0.01 level.