

ภาคผนวก ง

ค่าความเชื่อมั่นของเครื่องมือ (Reliability)

***** Method 2 (covariance matrix) will be used for this analysis *****

RELIABILITY ANALYSIS - SCALE (ALPHA)

		Mean	Std Dev	Cases
1.	B1	2.8000	.8469	30.0
2.	B2	3.0667	.9444	30.0
3.	B3	2.9667	.7649	30.0
4.	B4	2.8667	.7761	30.0
5.	B5	3.2667	.6397	30.0
6.	C1	2.5667	.7739	30.0
7.	C2	2.6000	.8137	30.0
8.	C3	2.9333	.6397	30.0
9.	C4	2.7333	.6915	30.0
10.	C5	2.7333	.6915	30.0
11.	D1	3.5333	.6814	30.0
12.	D2	2.7667	.7739	30.0
13.	D3	2.9667	.7649	30.0
14.	D4	2.9333	.8683	30.0
15.	D5	2.8333	.7915	30.0
16.	E1	2.9667	.6687	30.0
17.	E2	2.7000	.7022	30.0
18.	E3	2.7000	.7497	30.0
19.	E4	2.9667	.6687	30.0
20.	F1	2.9000	.7120	30.0
21.	F2	2.9333	.5833	30.0
22.	F3	2.7333	.8277	30.0
23.	F4	2.9333	.8277	30.0
24.	F5	3.1667	.7915	30.0
25.	F6	3.3000	.6513	30.0
26.	I1	3.0000	.6433	30.0
27.	I2	2.8667	.7303	30.0
28.	I3	2.9333	.6915	30.0
29.	I4	3.0667	.6915	30.0
30.	I5	2.9333	.7397	30.0
31.	I6	3.1000	.7120	30.0
32.	J1	3.1333	.7303	30.0
33.	J2	2.9000	.8030	30.0
34.	J3	2.8667	.6814	30.0
35.	J4	2.8000	.8052	30.0
36.	K1	3.3000	.7944	30.0
37.	K2	3.3000	.9154	30.0
38.	K3	2.7000	.7497	30.0
39.	K4	3.4333	.7739	30.0
40.	K5	3.1667	.9855	30.0

41.	L1	3.1667	.7915	30.0
42.	L2	3.4000	.8550	30.0
43.	L3	3.0333	.8899	30.0
44.	L4	2.9333	.7397	30.0
45.	L5	3.1000	.8030	30.0

-

RELIABILITY ANALYSIS - SCALE (ALPHA)

N of Cases = 30.0

Item Means	Mean	Minimum	Maximum	Range	Max/Min	Variance
	2.9778	2.5667	3.5333	.9667	1.3766	.0496

Reliability Coefficients 45 items

Alpha = .9774 Standardized item alpha = .9775